Name :Sathish babu. Age :27 years.

Sex :Male.

Address

:Shyamalalayam, Arashuparamba,

Nedumankadu, Trivandrum.

Cause of the burn:

✓ Dry heat.

- Moist heat.
- Chemicals.
- Electric burns.
- Radiation burns.

Degree of the burn:

FIRST	DEGREE	SECOND DEGREE	THIRD DEGREE
	Redness	 Blister formation 	 Painless
	Severe pain	✓ Sepsis	 Destruction of skin
	Singering of hair	✓ Severe pain	 Disfigurement
	Burning sensation	✓ Raise in temperature	 Disablement
	Raise in temperature	✓ Discolouration	The Astronomy of Samonths T

Depth of the burn:

- Epidermal burns.
- ✓ Dermo epidermal burns.
- Deep burns.

Thickness of the burn:

- Full thickness burns.
- ✓ Partial thickness burns.

Surface area of the burn:

	Area	Percentage
	Head and neck	9%
	Chest and abdomen	18%
	Back	18%
~	Right upper arm	9%
1	Left upper arm	9%
	Right lower arm	18%
	Left lower arm	18%
	Perineum	1%
	Total percentage of burns:	15%

Prognosis:

First degree-curable.

Second degree-curable with disfigurement.

Third degree-incurable.

Systemic examination:

Central Nervous System Normal
Cardio Vascular System Anaemic.

Respiratory System Dyspnoea present.

Urinary System Normal Reproductive System Normal

History of the burn:

When he was travelling in a bus, the bus caught fire and he was injured in both the hands and legs. Was admitted in Trivandrum medical college for 2 months, and has underwent skin grafting.

Presenting complaints:

The wound is healed and keloid scar tissue is developed in both the hands along with white discolouration.

Duration :3 months.

Treatment history:

Was hospitalised in Thrissur Jubilee Hospital for a duration of 3 months. Then came to Pathanjali Ayurveda Hospital. The medications are as follows.

28-5-99 Manjishtadi ks+guggulu panchaphala choornam.

[15 ml ks+45 ml warm water,6 am]

Chandrapraba pill. [ks+pill,6 pm] Kumariasavam. [30 ml,8 pm]

Agnijith.

[External application]

16-7-99 Reduction in the thickness of the keloid tissue

and the white patch fading.

Manjishtadi ks+mandoora vadakam. [15 ml ks+45 ml warm water]

Saribadiasavam.

[30 ml, 8:30 pm]

19-9-99 Normal skin texture regained. Slight discolouration present.

Normal skin colour attained.

Result of the treatment:

13-10-99

The keloid scar tissue disappeared in a duration of 6 months and the skin has attained its normal colour and texture.

Advice during the course of treatment:

- 1. The wound should not be exposed to any liquids.
- 2. Intake of Non-vegetarian foods should be avoided.
- 3. The wound should not be bandaged.