Name :Munnaz.
Age :11 years.
Sex :Male.

Address :S/o Mohammed kutty,

Puliankodathu, Kuttipuram.

Cause of the burn:

- Dry heat.
- · Moist heat.
- ✓ Chemicals.
- Electric burns.
- Radiation burns.

Degree of the burn:

FIRST	DEGREE	SECOND DEGREE	THIRD DEGREE
	Redness	✓ Blister formation	 Painless
	Severe pain	✓ Sepsis	 Destruction of skin
	Singering of hair	✓ Severe pain	 Disfigurement
	Burning sensation	✓ Raise in temperature	 Disablement
	Raise in temperature	✓ Discolouration	

Depth of the burn:

- Epidermal burns.
- ✓ Dermo epidermal burns.
- Deep burns.

Thickness of the burn:

- Full thickness burns.
- Partial thickness burns.

Surface area of the burn:

	Area	Percentage
	Head and neck	9%
	Chest and abdomen	18%
	Back	18%
1	Right upper arm	9%
	Left upper arm	9%
	Right lower arm	18%
	Left lower arm	18%
•	Perineum	1%

Total percentage of burns:

7%

Prognosis:

- · First degree-curable.
- ✓ Second degree-curable with disfigurement.
 - Third degree-incurable.

Systemic examination:

Central Nervous System Fragile and restless

Cardio Vascular System
Respiratory System
Urinary System
Reproductive System
Normal
Normal

History of the burn:

When he collected the cracker powder and tried to fire it bursted and got injured in the right hand.

Presenting complaints:

Severe burning sensation along with pain present. Skin peeled off in the right hand and in the affected area many blisters have formed.

Duration 3 days.

Treatment history:

Immediately visited the Pathanjali Ayurved Hospital. The medications are as follows.

1-10-01 Manjishtadi ks+Triphala choornam.

[15 ml ks+45 ml warm water,5:30 am/pm]

Saribadiasavam+gorochanadi pill

[30 ml, 1:30/8:30 pm]

Agnijith.

[External application]

3-10-01 Pain and burning sensation reduced. Slight raise in

temperature present.

7-10-01 No sign of pus formation. Normal temperature. No

discharge from the vesicles.

10-10-01 Blisters have subsided itself.

14-10-01 Skin peeled off in the area of the vesicles and the papilla is

red in colour.

16-10-01 Healing started.

Advised to take bath in Nalpamara ks.

20-10-01 Completely healed

Result of the treatment:

The second degree wound with severe blister formation is cured completely without leaving any scar, discolouration and disablement in a duration of 17 days.

Advice during the course of treatment:

- 1. The wound should not be exposed to any liquids.
- 2. Intake of Non-vegetarian foods should be avoided.
- 3. The wound should not be bandaged.